



# Street & Performance

#1 Hot Rod Lane  
 P.O. Box 1169  
 Mena, Arkansas U.S.A 71953

Phone 479-394-5711  
 Fax 479-394-7113  
[www.hotrodlane.cc](http://www.hotrodlane.cc)  
 sales @hotrodlane.cc



Neck mounted idler bracket



Big Block Street Rod Bracket



Big Block 50's and Later Wide Style Bracket

Visit [www.hotrodlane.cc](http://www.hotrodlane.cc)  
 and view our online catalog  
 for other bracket kits. Stop by  
 your local S&P Dealer for more  
 information or call S&P at  
 479-394-5711



Front Case mount idler bracket



Small Block Street Rod V-Belt Brackets



Small Block 50's and Later Wide Style Brackets

**BLOWER HUB SPACERS**  
 3 Bolt  
 2"

mm

6 Bolt  
 2 1/4"


1/2" Pitch

**BLOWER HUB SPACERS**  
 It helps us to know what brand of blower you have. Weiland, B&M, Hampton, Holley, BDS and Mooneyham all have slightly different drives. We also need to know Crank bolt configuration, i.e. 3 bolt balancer, fluid dampner or 6 bolt steel hub.

Flat Tooth      Round Tooth


1/2" Pitch      mm

### 6-71 w/ 1/2" pitch drive



**Components Parts List for 1/2" Pitch Drives**

### 6-71 - 14-71 w/ 8mm pitch drive



**Components Parts List for 8mm Pitch Drives**




**Holley Performance Products**

Tech Line: 270.781.9741 [www.holley.com](http://www.holley.com)

Street & Performance can help you with all of your Weiland and BDS needs 7 days a week.

[www.hotrodlane.cc](http://www.hotrodlane.cc) [sales@hotrodlane.cc](mailto:sales@hotrodlane.cc)

## **BDS PULLEY SPACERS**




BDS Pulley Spacers are manufactured from the same high quality aircraft aluminum alloy as the blower pulleys. Machined to precise specifications, there are a variety of sizes that may be mixed and stacked together to provide the necessary spacing for almost any application. The spacers have the same two inch register and six hole universal pattern as our blower pulleys. Spacers longer than two inches in total length are not recommended due to the additional stresses induced on the drive assembly. Extreme care should be used when installing pulley spacers, making sure they are installed flat and straight, eliminating excessive "pulley wobble".



12140 E. Washington Blvd., Whittier, California 90606

Tel: (562) 693-4302 • Fax: (562) 696-7091

[www.blowerdriveservice.com](http://www.blowerdriveservice.com)



13.9/14mm      8mm      1/2 Pitch

#### **1/2 pitch square tooth style**

is the most common belt used on blowers since the '50's referred to as the Gilmer belt. Used in mild applications with 471 and 671 blowers with drive ratios up to 15% overdrive.

#### **8mm Round GT tooth style**

is capable of transferring more horsepower than the 1/2 pitch style belt. This belt is used in all applications running up to approximately 35% overdrive.

#### **13.9mm & 14mm Round Tooth Style**

the round tooth polychain is the strongest style blower belt and is used in high performance competition style blower systems

Street & Performance 479.394.5711 [www.hotordlane.cc](http://www.hotordlane.cc)  
[sales@hotrodlane.cc](mailto:sales@hotrodlane.cc)



**Aluminum 2-Four Air Cleaner**  
Adjustable Base Plate  
The bottom plate of our two four air cleaner adjusts to fit most dual quad applications. The base plate adjusts from 7 5/16 to 9 1/4 inch centers.




**Carb Spacers**

**Spacer**  
Single Carb spacer can be ordered in custom heights. Double Carb Spacer is 1"

<p>Lg Single 4</p>	<p><b>Fixed Base Plate</b></p> <p>6 7/16" Centers</p>	<p><b>Adj Base Plate</b></p> <p>7 5/16" to 9 1/4"</p>
--------------------	---	---



**Single, 3-2 & 2-4 Air Cleaner Elements**



Even polished between the lines

Polished inside front



**Oval Air Cleaners**  
Custom Polished or Chromed  
Single Four Barrel Applications Standard & Custom Designs

- Part #**
- 00009429 Smooth
  - 00009430 TPI Design
  - 00009431 V-8 Design
  - 00009432 Bow Tie Design
  - 00009433 Diamond Lines Design
  - 00009434 9-Line Milled Design
  - 00009435 8-Line Milled Design
  - 2-Four Non Adjustable
  - 00009436 Smooth
  - 00009437 TPI Design
  - 00009438 V-8 Design
  - 00009439 Bow Tie Design
  - 00009440 Diamond Lines Design
  - 00009441 9-Line Milled Design
  - 00009442 8-Line Design

**Caution !!!**  
**S&P strongly recommends against using manual fans. The stress that is applied to the water pump under acceleration can cause the pump shaft to break.**

Street & Performance adjustable 2 X 4 Blower Scoop. Comes complete with filters and instructions. Show polished.



#1 Hot Rod Lane  
Mena, Arkansas. U.S.A  
71953  
Ph. 479.394.5711  
Fax. 479.394.7113  
www.hotrodlane.cc  
sales@hotrodlane.cc



**Small Block V-Belt and Serpentine Pulleys and Accessories**

- 1) Serpentine Water Pump Pulley - Ribbed 5/8" Pilot
- 2) 1-Gr. V-Belt Water Pump Pulley 6" Dia
- 3) 2-Gr. V-Belt Water Pump Pulley 6" Dia
- 4) 2-Gr. V-Belt Water Pump Pulley 5 3/4" Dia
- 5) Serpentine Water Pump Pulley - Vette 3/4" Pilot
- 6) Serpentine Water Pump Pulley - Smooth 5/8" Pilot
- 7) 1-Gr. Blower V-Belt Crank Pulley
- 8) 3-Bolt S/B Crank Blower Drive Hub Adapter
- 9) 6-Bolt S/B Crank Blower Drive Hub Adapter
- 10) 2-Gr. V-Belt Crank Pulley  
3-Gr. V-Belt Crank Pulley (not pictured)
- 11) Serpentine Crank Pulley
- 12) Large Aluminum Alternator Fan
- 13) Serpentine Alternator Pulley
- 14) V-Belt Alternator Pulley

**Big Block Chevy V-Belt and Serpentine Blower pulleys and accessories**



1. BBC Smooth Serp W/P Pulley
2. BBC Ribbed Serp W/P Pulley
3. BBC Blower Serp Crank Pulley
4. Serpentine Alt Pulley
5. 1-gr Water Pump Pulley
6. 1-gr B/B Blower Crank Pulley
7. 1-gr Alternator Pulley
8. 2-gr Water Pump Pulley 5 3/4"
9. 2-gr Water Pump Pulley 6"
10. BBC Blower 2-gr Crank Pulley
11. 6 Bolt B/B Hub Adapter
12. 3 Bolt B/B Hub Adapter
13. Aluminum Alternator Fan
14. Alternator/Idler Buttons

**6 BOLT  
FUIDL DAMPER**



**Crank pulley and blower hub adaptor for 6 bolt with male register crank hub.**



**Need to know if you have 3 or 6 bolt balancer and a male register on the balancer.**



**BLOWER OFFSET WATER NECK**  
The B&M Type Blower Offset Water Neck is used w/ B&M Street Blowers for applications which are close to the radiator.  
#10500063 - Neck  
#00000066 - Gasket  
W/Neck comes w/ Gasket & Bolts



**Differant types of steel 6 bolt crank hubs**



**360/10 degree swivel waterneck available in natural, polished or chrome. Pulley Covers available in polished or chrome. You must send in your pulleys**

